ELSEVIER

Artificial Intelligence 110 (1999) 329–338

Artificial Intelligence

www.elsevier.com/locate/artint

Master Index—Volumes 101–110

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words.)

Abdelbar, A.M.
An algorithm for finding MAPs for belief networks through cost-based abduction **104** (1998) 331–338
Abdelbar, A.M. and S.M. Hedetniemi
Approximating MAPs for belief networks is NP-hard and other theorems **102** (1998) 21–38
Adibi, J., see Tambe, M. **110** (1999) 215–239
Aha, D.W., see Kasif, S. **104** (1998) 287–311
Al-Onaizan, Y., see Tambe, M. **110** (1999) 215–239
Anrig, B., see Kohlas, J. **104** (1998) 71–106
Antonelli, G.A.
A directly cautious theory of defeasible consequence for default logic via the notion of general extension **109** (1999) 71–109
Arbib, M.A.
The metaphorical brains (Response) **101** (1998) 323–335
Argamon-Engelson, S., S. Kraus and S. Sina
Utility-based on-line exploration for repeated navigation in an embedded graph (Research Note) **101** (1998) 267–284
Arieli, O. and A. Avron
The value of the four values **102** (1998) 97–141
Arzi-Gonczarowski, Z. and D. Lehmann
From environments to representations—a mathematical theory of artificial perceptions **102** (1998) 187–247
Asada, M., H. Kitano, I. Noda and M. Veloso
RoboCup: Today and tomorrow—What we have learned **110** (1999) 193–214
Asada, M., E. Uchibe and K. Hosoda
Cooperative behavior acquisition for mobile robots in dynamically changing real worlds via vision-based reinforcement learning and development **110** (1999) 275–292
Avron, A., see Arieli, O. **102** (1998) 97–141

Elsevier Science B.V.

Bäckström, C., see Jonsson, P. **102** (1998) 143–155
Bäckström, C., see Jonsson, P. **109** (1999) 273–295
Baral, C., A. Gabaldon and A. Provetti
Value minimization in circumscription **102** (1998) 163–186
Baral, C., A. Gabaldon and A. Provetti
Formalizing narratives using nested circumscription **104** (1998) 107–164
Barette, O., see Deville, Y. **109** (1999) 243–271
Barnden, J.A.
Book Review of *The Metaphorical Brain* 2: *Neural Networks and Beyond* (Michael A. Arbib) **101** (1998) 301–309
Baroni, P., G. Lamperti, P. Pogliano and M. Zanella
Diagnosis of large active systems **110** (1999) 135–183
Bell, D.A., see Guan, J.W. **105** (1998) 77–103
Bessière, C., E.C. Freuder and J.-C. Régin
Using constraint metaknowledge to reduce arc consistency computation **107** (1999) 125–148
Bibel, W.
Let's plan it deductively! **103** (1998) 183–208
Blockeel, H. and L. De Raedt
Top-down induction of first-order logical decision trees (Research Note) **101** (1998) 285–297
Bobrow, D.G. and J.M. Brady
Artificial Intelligence 40 years later **103** (1998) 1– 4
Bochman, A.
On the relation between default and modal nonmonotonic reasoning **101** (1998) 1– 34
Bochman, A.
A foundational theory of belief and belief change **108** (1999) 309–352
Boden, M.A.
Creativity and artificial intelligence **103** (1998) 347–356
Bohanec, M., see Zupan, B. **109** (1999) 211–242
Boros, E., T. Ibaraki and K. Makino
Logical analysis of binary data with missing bits **107** (1999) 219–263
Brady, J.M., see Bobrow, D.G. **103** (1998) 1– 4
Bratko, I., see Zupan, B. **109** (1999) 211–242
Brewka, G. and T. Eiter
Preferred answer sets for extended logic programs **109** (1999) 297–356
Brown, R.D., see Yang, Y. **103** (1998) 323–345
Brüning, S., see Schaub, T. **106** (1998) 1– 76
Brusoni, V., L. Console, P. Terenziani and D. Theseider Dupré
A spectrum of definitions for temporal model-based diagnosis **102** (1998) 39– 79
Bylander, T.
Worst-case analysis of the Perceptron and Exponentiated Update algorithms **106** (1998) 335–352

Carberry, S., see Webber, B. **105** (1998) 263–293
Carbonell, J.G., see Yang, Y. **103** (1998) 323–345
Cassandra, A.R., see Kaelbling, L.P. **101** (1998) 99–134
Castelfranchi, C.
Modelling social action for AI agents **103** (1998) 157–182
Chang, S.-F., see McKeown, K.R. **103** (1998) 95–116
Chen, X.J. and G. De Giacomo
Reasoning about nondeterministic and concurrent actions: A process algebra approach **107** (1999) 63– 98
Chow, T.W.S., see Leung, C.-T. **107** (1999) 347–356
Clarke, J.R., see Webber, B. **105** (1998) 263–293
Cohen, D., see Jeavons, P. **101** (1998) 251–265
Colomb, R.M.
Representation of propositional expert systems as partial functions **109** (1999) 187–209
Console, L., see Brusoni, V. **102** (1998) 39– 79
Cooper, M.C.
Linear-time algorithms for testing the realisability of line drawings of curved objects **108** (1999) 31– 67
Cooper, M.C., see Jeavons, P. **101** (1998) 251–265
Corbacho, F.J.
Schema-based learning (Commentary) **101** (1998) 337–339
Costello, T.
The expressive power of circumscription **104** (1998) 313–329

Dalal, M., see McKeown, K.R. **103** (1998) 95–116
Davis, R., see Stahovich, T.F. **104** (1998) 211–264
De Giacomo, G., see Chen, X.J. **107** (1999) 63– 98
Delgrande, J.P.
On first-order conditional logics **105** (1998) 105–137
Demšar, J., see Zupan, B. **109** (1999) 211–242
De Raedt, L., see Blockeel, H. **101** (1998) 285–297
De Rijke, M., see Kurtonina, N. **107** (1999) 303–333
Deville, Y., O. Barette and P. Van Hentenryck
Constraint satisfaction over connected row-convex constraints **109** (1999) 243–271
Dickmanns, E.D.
Vehicles capable of dynamic vision: a new breed of technical beings? **103** (1998) 49– 76
Drakengren, T. and P. Jonsson
A complete classification of tractability in Allen's algebra relative to subsets of basic relations **106** (1998) 205–219
Drakengren, T., see Jonsson, P. **109** (1999) 273–295
Düntsch, I. and G. Gediga
Uncertainty measures of rough set prediction **106** (1998) 109–137

Eiter, T., T. Ibaraki and K. Makino
Computing intersections of Horn theories for reasoning with models **110** (1999) 57–101
Eiter, T. and V.S. Subrahmanian
Heterogeneous active agents, II: Algorithms and complexity **108** (1999) 257–307
Eiter, T., V.S. Subrahmanian and G. Pick
Heterogeneous active agents, I: Semantics **108** (1999) 179–255
Eiter, T., see Brewka, G. **109** (1999) 297–356
Elizondo, D., see Tajine, M. **102** (1998) 295–322
Erdem, A., see Tambe, M. **110** (1999) 215–239
Érdi, P.
Structure-based modeling of schemas (Commentary) **101** (1998) 341–343
Evenchik, A., see Kraus, S. **104** (1998) 1– 69

Fagiuoli, E. and M. Zaffalon
2U: an exact interval propagation algorithm for polytrees with binary variables **106** (1998) 77–107
Feiner, S.K., see McKeown, K.R. **103** (1998) 95–116
Feldman, Y.A. and D.A. Friedman
Portability by automatic translation: A large-scale case study **107** (1999) 1– 28
Ford, K.M., see LaForte, G. **104** (1998) 265–286
Frederking, R.E., see Yang, Y. **103** (1998) 323–345
Freuder, E.C., see Bessière, C. **107** (1999) 125–148
Freund, M.
Statics and dynamics of induced systems **110** (1999) 103–134
Friedman, D.A., see Feldman, Y.A. **107** (1999) 1– 28

Gabaldon, A., see Baral, C. **102** (1998) 163–186
Gabaldon, A., see Baral, C. **104** (1998) 107–164
Gaspari, M.
Concurrency and knowledge-level communication in agent languages **105** (1998) 1– 45
Gediga, G., see Düntsch, I. **106** (1998) 109–137
Gelsey, A., M. Schwabacher and D. Smith
Using modeling knowledge to guide design space search **101** (1998) 35– 62
Gertner, A., see Webber, B. **105** (1998) 263–293
Greiner, R.
The complexity of theory revision **107** (1999) 175–217
Guan, J.W. and D.A. Bell
Rough computational methods for information systems **105** (1998) 77–103

Haenni, R., see Kohlas, J. **104** (1998) 71–106
Hanson, S.J.
Michael Arbib's *The Metaphorical Brain* 2: the sequel? (Book Review) **101** (1998) 311–314

Harvey, T., see Webber, B. **105** (1998) 263–293
Hayes, P.J., see LaForte, G. **104** (1998) 265–286
Hedetniemi, S.M., see Abdelbar, A.M. **102** (1998) 21– 38
Hosoda, K., see Asada, M. **110** (1999) 275–292
Huang, T. and S. Russell
Object identification: a Bayesian analysis with application to traffic surveillance **103** (1998) 77– 93

Ibaraki, T., A. Kogan and K. Makino
Functional dependencies in Horn theories **108** (1999) 1– 30
Ibaraki, T., see Boros, E. **107** (1999) 219–263
Ibaraki, T., see Eiter, T. **110** (1999) 57–101

Jeavons, P., D. Cohen and M.C. Cooper
Constraints, consistency and closure (Research Note) **101** (1998) 251–265
Jefferies, M.E., see Yeap, W.K. **107** (1999) 265–301
Jonsson, P. and C. Bäckström
A unifying approach to temporal constraint reasoning **102** (1998) 143–155
Jonsson, P., T. Drakengren and C. Bäckström
Computational complexity of relating time points with intervals **109** (1999) 273–295
Jonsson, P., see Drakengren, T. **106** (1998) 205–219
Joshi, A.K.
Role of constrained computational systems in natural language processing **103** (1998) 117–132

Kaelbling, L.P., M.L. Littman and A.R. Cassandra
Planning and acting in partially observable stochastic domains **101** (1998) 99–134
Kambhampati, S.
On the relations between intelligent backtracking and failure-driven explanation-based learning in constraint satisfaction and planning **105** (1998) 161–208
Kaminka, G.A., see Tambe, M. **110** (1999) 215–239
Kasif, S., S. Salzberg, D. Waltz, J. Rachlin and D.W. Aha
A probabilistic framework for memory-based reasoning **104** (1998) 287–311
Keane, M.T., see Smyth, B. **102** (1998) 249–293
Kitano, H.
Preface **110** (1999) 189–191
Kitano, H., see Asada, M. **110** (1999) 193–214
Koehler, J., see Ohlbach, H.J. **109** (1999) 1– 31
Kogan, A., see Ibaraki, T. **108** (1999) 1– 30
Kohlas, J., B. Anrig, R. Haenni and P.A. Monney
Model-based diagnostics and probabilistic assumption-based reasoning **104** (1998) 71–106

Korf, R.E.
A complete anytime algorithm for number partitioning **106** (1998) 181–203
Kotočová, M., see Krajčoviech, R. **109** (1999) 161–185
Krajčoviech, R. and M. Kotočová
Non-uniform time sharing in the concurrent execution of constraint solving **109** (1999) 161–185
Kraus, S., K. Sycara and A. Evenchik
Reaching agreements through argumentation: a logical model and implementation **104** (1998) 1– 69
Kraus, S., see Argamon-Engelson, S. **101** (1998) 267–284
Kraus, S., see Morreau, M. **106** (1998) 161–177
Kraus, S., see Shehory, O. **101** (1998) 165–200
Kraus, S., see Shehory, O. **110** (1999) 1– 55
Kurtonina, N. and M. de Rijke
Expressiveness of concept expressions in first-order description logics **107** (1999) 303–333

LaForte, G., P.J. Hayes and K.M. Ford
Why Gödel's theorem cannot refute computationalism **104** (1998) 265–286
Lamperti, G., see Baroni, P. **110** (1999) 135–183
Lancewicki, R., see Parodi, P. **105** (1998) 47– 75
Larrosa, J., P. Meseguer and T. Schiex
Maintaining reversible DAC for Max-CSP **107** (1999) 149–163
Leckie, C. and I. Zukerman
Inductive learning of search control rules for planning **101** (1998) 63– 98
Lehmann, D., see Arzi-Gonczarowski, Z. **102** (1998) 187–247
Leong, T.Y.
Multiple perspective dynamic decision making **105** (1998) 209–261
Leung, C.-T. and T.W.S. Chow
Adaptive regularization parameter selection method for enhancing generalization capability of neural networks (Research Note) **107** (1999) 347–356
Levesque, H.J., see Lin, F. **101** (1998) 201–226
Levy, A.Y. and M.-C. Rousset
Verification of knowledge bases based on containment checking **101** (1998) 227–250
Levy, A.Y. and M.-C. Rousset
Combining Horn rules and description logics in CARIN **104** (1998) 165–209
Lin, F.
Applications of the situation calculus to formalizing control and strategic information: the Prolog cut operator **103** (1998) 273–294
Lin, F. and H.J. Levesque
What robots can do: robot programs and effective achievability **101** (1998) 201–226
Littman, M.L., see Kaelbling, L.P. **101** (1998) 99–134

Loui, R.P.
B.C. Smith's, *On the Origin of Objects* **106** (1998) 353–358
Lucas, P.J.F.
Analysis of notions of diagnosis **105** (1998) 295–343

Makino, K., see Boros, E. **107** (1999) 219–263
Makino, K., see Eiter, T. **110** (1999) 57–101
Makino, K., see Ibaraki, T. **108** (1999) 1– 30
Marsella, S.C., see Tambe, M. **110** (1999) 215–239
McDermott, D.
Using regression-match graphs to control search in planning **109** (1999) 111–159
McKeown, K.R., S.K. Feiner, M. Dalal and S.-F. Chang
Generating multimedia briefings: coordinating language and illustration **103** (1998) 95–116
Meseguer, P., see Larrosa, J. **107** (1999) 149–163
Monney, P.A., see Kohlas, J. **104** (1998) 71–106
Morgenstern, L.
Inheritance comes of age: applying nonmonotonic techniques to problems in industry **103** (1998) 237–271
Morreau, M. and S. Kraus
Syntactical treatments of propositional attitudes (Research Note) **106** (1998) 161–177
Motoda, H. and K. Yoshida
Machine learning techniques to make computers easier to use **103** (1998) 295–321
Muscettola, N., P.P. Nayak, B. Pell and B.C. Williams
Remote Agent: to boldly go where no AI system has gone before **103** (1998) 5– 47
Muslea, I., see Tambe, M. **110** (1999) 215–239

Nayak, P.P., see Muscettola, N. **103** (1998) 5– 47
Nebel, B., see Renz, J. **108** (1999) 69–123
Noda, I., see Asada, M. **110** (1999) 193–214

Ohlbach, H.J. and J. Koehler
Modal logics, description logics and arithmetic reasoning **109** (1999) 1– 31
Ortiz Jr., C.L.
Explanatory update theory: Applications of counterfactual reasoning to causation **108** (1999) 125–178

Papamichail, K.N., see Smith, J.Q. **107** (1999) 99–124
Parodi, P., R. Lancewicki, A. Vijh and J.K. Tsotsos
Empirically-derived estimates of the complexity of labeling line drawings of polyhedral scenes **105** (1998) 47– 75
Pell, B., see Muscettola, N. **103** (1998) 5– 47
Pick, G., see Eiter, T. **108** (1999) 179–255

Pogliano, P., see Baroni, P. **110** (1999) 135–183
Pollock, J.L.
The logical foundations of goal-regression planning in autonomous agents **106** (1998) 267–334
Pribram, K.H.
Arbib's *Metaphorical Brain* 2 (Book Review) **101** (1998) 315–321
Provetti, A., see Baral, C. **102** (1998) 163–186
Provetti, A., see Baral, C. **104** (1998) 107–164

Rachlin, J., see Kasif, S. **104** (1998) 287–311
Rédey, G.
iCTRL: Intensional conformal text representation language **109** (1999) 33– 70
Régin, J.-C., see Bessière, C. **107** (1999) 125–148
Renz, J. and B. Nebel
On the complexity of qualitative spatial reasoning: A maximal tractable fragment of the Region Connection Calculus **108** (1999) 69–123
Rintanen, J.
Lexicographic priorities in default logic **106** (1998) 221–265
Rousset, M.-C., see Levy, A.Y. **101** (1998) 227–250
Rousset, M.-C., see Levy, A.Y. **104** (1998) 165–209
Russell, S., see Huang, T. **103** (1998) 77– 93
Rymon, R., see Webber, B. **105** (1998) 263–293

Salzberg, S., see Kasif, S. **104** (1998) 287–311
Schaub, T. and S. Brüning
Prolog technology for default reasoning: proof theory and compilation techniques **106** (1998) 1– 76
Schiex, T., see Larrosa, J. **107** (1999) 149–163
Schmidt, T. and P.P. Shenoy
Some improvements to the Shenoy–Shafer and Hugin architectures for computing marginals **102** (1998) 323–333
Schurz, G.
Probabilistic semantics for Delgrande's conditional logic and a counterexample to his default logic **102** (1998) 81– 95
Schwabacher, M., see Gelsey, A. **101** (1998) 35– 62
Schwarzer, F., see Schweikard, A. **105** (1998) 139–159
Schweikard, A. and F. Schwarzer
Detecting geometric infeasibility **105** (1998) 139–159
Sgouros, N.M.
Dynamic generation, management and resolution of interactive plots **107** (1999) 29– 62
Shehory, O. and S. Kraus
Methods for task allocation via agent coalition formation **101** (1998) 165–200

Shehory, O., S. Kraus and O. Yadgar
Emergent cooperative goal-satisfaction in large-scale automated-agent systems **110** (1999) 1– 55
Shenoy, P.P., see Schmidt, T. **102** (1998) 323–333
Shrobe, H., see Stahovich, T.F. **104** (1998) 211–264
Sina, S., see Argamon-Engelson, S. **101** (1998) 267–284
Smith, D., see Gelsey, A. **101** (1998) 35– 62
Smith, J.Q. and K.N. Papamichail
Fast Bayes and the dynamic junction forest **107** (1999) 99–124
Smyth, B. and M.T. Keane
Adaptation-guided retrieval: questioning the similarity assumption in reasoning **102** (1998) 249–293
Snow, P.
The vulnerability of the transferable belief model to Dutch books (Research Note) **105** (1998) 345–354
Stahovich, T.F., R. Davis and H. Shrobe
Generating multiple new designs from a sketch **104** (1998) 211–264
Steels, L.
The origins of syntax in visually grounded robotic agents **103** (1998) 133–156
Stone, P. and M. Veloso
Task decomposition, dynamic role assignment, and low-bandwidth communication for real-time strategic teamwork **110** (1999) 241–273
Subrahmanian, V.S., see Eiter, T. **108** (1999) 179–255
Subrahmanian, V.S., see Eiter, T. **108** (1999) 257–307
Sycara, K., see Kraus, S. **104** (1998) 1– 69

Tajine, M. and D. Elizondo
Growing methods for constructing Recursive Deterministic Perceptron neural networks and knowledge extraction **102** (1998) 295–322
Tambe, M., J. Adibi, Y. Al-Onaizan, A. Erdem, G.A. Kaminka, S.C. Marsella and I. Muslea
Building agent teams using an explicit teamwork model and learning **110** (1999) 215–239
Tennenholtz, M.
On stable social laws and qualitative equilibria **102** (1998) 1– 20
Terenziani, P., see Brusoni, V. **102** (1998) 39– 79
Theseider Dupré, D., see Brusoni, V. **102** (1998) 39– 79
Thielscher, M.
Reasoning about actions: steady versus stabilizing state constraints **104** (1998) 339–355
Tsotsos, J.K., see Parodi, P. **105** (1998) 47– 75

Uchibe, E., see Asada, M. **110** (1999) 275–292

Valdés-Pérez, R.E.
Principles of human–computer collaboration for knowledge discovery in science (Research Note) **107** (1999) 335–346
Van der Hoek, W., see Witteveen, C. **106** (1998) 139–159
Van Hentenryck, P.
A gentle introduction to NUMERICA **103** (1998) 209–235
Van Hentenryck, P., see Deville, Y. **109** (1999) 243–271
Varis, O.
A belief network approach to optimization and parameter estimation: application to resource and environmental management **101** (1998) 135–163
Veloso, M., see Asada, M. **110** (1999) 193–214
Veloso, M., see Stone, P. **110** (1999) 241–273
Vijh, A., see Parodi, P. **105** (1998) 47– 75

Waltz, D., see Kasif, S. **104** (1998) 287–311
Washington, R., see Webber, B. **105** (1998) 263–293
Webber, B., S. Carberry, J.R. Clarke, A. Gertner, T. Harvey, R. Rymon and R. Washington
Exploiting multiple goals and intentions in decision support for the management of multiple trauma: a review of the TraumAID project **105** (1998) 263–293
Werger, B.B.
Cooperation without deliberation: A minimal behavior-based approach to multi-robot teams **110** (1999) 293–320
Wilks, Y.
K. Sparck Jones and J. Galliers, *Evaluating Natural Language Processing Systems*: An Analysis and Review (Book Review) **107** (1999) 165–170
Williams, B.C., see Muscettola, N. **103** (1998) 5– 47
Witteveen, C. and W. van der Hoek
Recovery of (non)monotonic theories **106** (1998) 139–159

Yadgar, O., see Shehory, O. **110** (1999) 1– 55
Yang, Y., J.G. Carbonell, R.D. Brown and R.E. Frederking
Translingual information retrieval: learning from bilingual corpora **103** (1998) 323–345
Yeap, W.K. and M.E. Jefferies
Computing a representation of the local environment **107** (1999) 265–301
Yoshida, K., see Motoda, H. **103** (1998) 295–321

Zaffalon, M., see Fagiuoli, E. **106** (1998) 77–107
Zanella, M., see Baroni, P. **110** (1999) 135–183
Zukerman, I., see Leckie, C. **101** (1998) 63– 98
Zupan, B., M. Bohanec, J. Demšar and I. Bratko
Learning by discovering concept hierarchies **109** (1999) 211–242

ELSEVIER

Artificial Intelligence 110 (1999) 339–343

Artificial Intelligence

www.elsevier.com/locate/artint

Subject Index—Volumes 101–110

Abilities (101) 201
Absolute loss bounds (106) 335
Abstract character of adjoining (103) 117
Abstraction (107) 1
Achievability (101) 201
Actions (102) 163, (105) 263
Acyclic directed graph (108) 1
Adjoining (103) 117
Agent architectures (108) 179
Agent communication languages (105) 1
Agent languages (108) 179, (108) 257
Agent learning (110) 215
Agent theory (108) 179
Agnostic learning (107) 175
Aircraft (101) 35
Algebraic closure (101) 251
Algorithm of Abraham (104) 71
Algorithms (102) 143, (108) 257, (109) 273
Algorithms and complexity (110) 57
Allen's algebra (106) 205
Almost parse (103) 117
Anytime algorithm (106) 181
Applications (103) 237
Arc consistency (107) 125
Architectures (103) 5
Argumentation (104) 1
Aristotelian term logic (109) 33
Arrangement computation in D dimensions (105) 139
Art and entertainment (107) 29
Artificial intelligence (103) 237
Artificial perception and cognition (102) 187
Assembly planning (105) 139
Assumption-based reasoning (104) 71
Asynchronous discrete-event systems (110) 135
ATMS (104) 71
Attribute prediction (106) 109
Autoepistemic logic (101) 1
Automated deduction (103) 183
Automated negotiation (104) 1
Automated reasoning (106) 1, (110) 57
Autonomous agents (103) 5, (106) 267
Autonomous vehicles (103) 49

Backtracking (109) 161
Batch learning (102) 295
Bayes networks (104) 287
Bayesian belief networks (102) 21
Bayesian decision making (105) 345
Bayesian inference (103) 77
Bayesian methods (101) 135
Bayesian networks (106) 77
BDI (103) 157
BDI model (104) 1
Behavior reconstruction (110) 135
Belief (108) 309
Belief change (108) 309
Belief networks (101) 135
Belief revision (104) 331
Benefits inquiry (103) 237
Bilattices (102) 97
Bogart (107) 1
Boolean functions (107) 219
Boolean operations (102) 295
Branch and bound (107) 149

Case adaptation (102) 249
Case retrieval (102) 249
Case-based reasoning (102) 249
Categorical formalizations in AI (102) 187
Causality (104) 339
Causation (108) 125
Center of an utterance (103) 117
Centering (103) 117

Elsevier Science B.V.

Characteristic models (110) 57
Circumscription (102) 163, (104) 107, (104) 313
Coalition formation (101) 165
Cognitive map (107) 265
Cognitive robotics (101) 201
Combination of inference systems (109) 1
Command prediction (103) 295
Commercial applications (103) 237
Communication and concurrency (105) 1
Complete algorithms (105) 139
Complete classification (106) 205
Complexity (102) 21, (102) 143, (104) 331, (109) 273
Complexity of inference (103) 117
Computational complexity (105) 47, (106) 205, (108) 1, (108) 69, (108) 257
Computational learning theory (107) 175
Computationalism (104) 265
Computer-aided knowledge acquisition (109) 33
Computing marginals (102) 323
Concept discovery (109) 211
Concept hierarchies (109) 211
Concurrency (107) 63
Condensation (108) 1
Conditional logic (102) 81, (105) 105
Conditional revision (110) 103
Conjunctive normal form (108) 1
Consistency (109) 243
Constrained formal systems (103) 117
Constraint (101) 35
Constraint class (101) 251
Constraint satisfaction (105) 161, (107) 125, (109) 243, (109) 273
Constraint satisfaction problem (108) 31
Constraint-based planning (103) 5
Constructive induction (109) 211
Content relevant textual knowledge base query handling (109) 33
Control of inference (103) 117
Convex sets (106) 77
Cooperation (103) 157
Cooperative behavior (110) 275
Corpus-based methods (103) 323
Counterfactuals (108) 125
Credal sets (106) 77
Cross-language IR (103) 323

Data association (103) 77
Data mining (107) 219
Database and knowledge base systems (105) 77
Database theory (101) 227
Decision making (105) 209
Decision support (105) 263
Decision tables (109) 187
Decision trees (109) 187
Default logic (101) 1, (102) 81, (106) 1, (109) 71
Default reasoning (106) 1
Defeasible consequence (109) 71
Defeasible reasoning (106) 267
Dempster–Shafer (105) 345
Dependence (103) 157
Dependency directed backtracking (105) 161
Description logic (101) 227, (104) 165, (107) 303, (109) 1
Design (101) 35
Design generalization (104) 211
Diagnosis (102) 39, (103) 5
Diagnostic systems (105) 295
Directed arc-consistency (107) 149
Disjunctive linear relations (102) 143
Distributed AI (105) 1
Dynamic abduction (102) 21
Dynamic backtracking (105) 161
Dynamic models (107) 99
Dynamic scene understanding (103) 49
Dynamic variable ordering heuristic (109) 161

Effective achievability (101) 201
Emergence (103) 157
Engineering (101) 35
Environmental policies (101) 135
Epistemic states (108) 309
Execution (103) 5
Expert systems (103) 237
Explanation (104) 331
Explanation-based learning (105) 161
Exploration versus exploitation (101) 267
Expressive power (104) 313, (107) 303
Expressiveness of circumscription (104) 313
Extended logic programming (109) 297

Finite state transducers (103) 117
First-order logic (103) 237, (105) 105
Flaw resolution (105) 161
Flexible teamwork (110) 241
Formal theory of diagnosis (105) 295
Forward checking (109) 161
Frame problem (103) 183
Full meet base revision (110) 103
Function decomposition (109) 211
Functional dependency (108) 1

Generalization (109) 211
Generalization capability (107) 347
Generalized vector space model (103) 323
Geometric reasoning (105) 139

Global consistency (101) 251
Goal regression (106) 267
Goal-directed reasoning (105) 263
Goals (105) 263
Grand challenge (110) 193
Graph colouring (109) 161
Graph-based induction (103) 295
Graphics generation (103) 95
Growing methods (102) 295
Gödel (104) 265

Hellinger metric (107) 99
Heterogeneous information access (108) 179
Horn rules (101) 227, (104) 165
Horn theory (108) 1
Hugin architecture (102) 323
Human–computer collaboration (107) 335
Hybrid languages (101) 227, (104) 165
Hybrid models (101) 135
Hybrid systems (110) 293

Image processing (103) 49, (103) 95
Incremental learning (102) 295
Inductive learning (101) 63
Inductive logic programming (107) 175
Inference (106) 77
Influence diagrams (107) 99
Information retrieval (103) 323
Information retrieval systems (109) 33
Inheritance (103) 237
Inheritance networks (103) 237
Inheritance reasoning (106) 221
Insurance (103) 237
Intelligent information systems (105) 77
Intensional logic (109) 33
Intention (105) 263, (106) 161
Intervals (106) 77

Junction trees (107) 99

Knowledge base validation (109) 33
Knowledge base verification (101) 227
Knowledge discovery (107) 219, (107) 335
Knowledge extraction (102) 295
Knowledge filtering (109) 187
Knowledge level (105) 1
Knowledge representation (104) 165, (105) 105, (105) 209, (107) 303, (108) 1, (108) 179, (110) 57

Language generation (103) 95
Learning (104) 287
Learning algorithms (106) 335
Lexicalized grammars (103) 117
Lexicalized tree-adjoining grammars (103) 117
Line drawing labelling (108) 31
Line drawings (105) 47
Linear connection method (103) 183
Linear separability (102) 295
Local computations on complex structures (103) 117
Local consistency (101) 251
Local learning (104) 287
Local space (107) 265
Local statistical computations (103) 117
Locality of structures (103) 117
Locally monadic structure (103) 117
Logic programming (109) 71
Logical analysis of data (107) 219
Logical implication (107) 63

Machine learning (103) 295, (109) 187, (109) 211
Machine vision (103) 49
Matching (103) 77
Mathematical foundations of AI (102) 187
Mathematical programming (109) 1
Maximal/partial constraint satisfaction (107) 149
MBR transform (104) 287
Means-ends analysis (109) 111
Mechanical design (104) 211
Media coordination (103) 95
Medical AI (103) 237
Medical insurance (103) 237
Memory-based learning (104) 287
Meta-learning (104) 287
Minimalist robotics (110) 293
Minimum description length principle (106) 109
Missing bits (107) 219
Mistake bounds (106) 335
Mobile robot cooperation (110) 293
Mobile robots (103) 49
Modal logic (109) 1
Modal mu-calculus (107) 63
Modal nonmonotonic logics (101) 1
Model (101) 35
Model checking (107) 63
Model elimination (106) 1
Model theory (107) 303
Model-based consistency checking (106) 1
Model-based diagnosis (110) 135
Model-based diagnostics (104) 71
Model-based reasoning (102) 39, (103) 5, (110) 57
Modular learning (102) 295
Monadic predicate (103) 117
Motion planning (105) 139

Multi-agent communication (110) 241
Multi-agent cooperation (101) 165
Multi-agent learning (110) 275
Multi-agent systems (105) 1, (110) 1, (110) 241
Multi-agents (110) 215
Multi-robot teams (110) 293
Multimedia (103) 95
Multiple perspective reasoning (105) 209
Multiple trauma management (105) 263
Multiple-valued systems (102) 97
Multivariate state space models (107) 99

Narratives (104) 107
Natural language syntax conform text modelling (109) 33
Navigation on embedded graphs (101) 267
Nested abnormality theories (102) 163, (104) 107
Neural network (107) 347
Next-best explanation (102) 21
Nogood learning (105) 161
Nonmonotonic inheritance (109) 71
Nonmonotonic logic (103) 237, (106) 139
Nonmonotonic reasoning (101) 1, (103) 237, (104) 313, (105) 105, (106) 221, (109) 297, (110) 103
Nonmonotonic techniques (103) 237
NP-complete (106) 181
NP-completeness (108) 31
NP-hardness (107) 219
Number partitioning (106) 181
Numerical (101) 35

Object identification (103) 77
Optimization (101) 35, (101) 135
Origins of language and meaning (103) 133
OSCAR (106) 267

Paraconsistency (102) 97
Parameter estimation (101) 135
Partial forward checking (107) 149
Partially defined Boolean functions (107) 219
Partially observable Markov decision processes (101) 99
Path-consistency (108) 69
Phase transition (109) 161
Physical embodiment (110) 275
Physics (101) 35
Plan recognition (105) 263
Planning (101) 63, (101) 99, (103) 183, (105) 161, (105) 263, (106) 267, (109) 111
Point–interval algebra (109) 273
Polynomial algorithms and complexity (109) 297
Portability (107) 1
Preference handling (109) 297
Preferential logics (102) 97
Preferential relations (110) 103
Priorities (106) 221
Probabilistic expert systems (107) 99
Probabilistic inference (104) 287
Probabilistic models (101) 135
Probabilistic reasoning (102) 21, (104) 331, (105) 209
Probabilistic semantics (102) 81
Probability (104) 71
Process algebra (107) 63
Propagation (105) 161
Propositional logic (104) 71
Propositional systems (109) 187
PTTP (106) 1

Qualification (103) 183
Qualitative decision making (102) 1
Qualitative geometric reasoning (104) 211
Qualitative spatial reasoning (107) 265, (108) 69
Query containment (101) 227, (104) 165

Ramification (103) 183
Ramification Problem (104) 339
Random polyhedral scenes (105) 47
Randomized classification algorithms (106) 335
Rationality (110) 103
Rationalization (110) 103
Re-implementation (107) 1
Reactive control (110) 293
Reactive systems (103) 5
Real robot middle-size league (110) 193
Real robot small-size league (110) 193
Reasoning (102) 97
Reasoning about actions (104) 107, (107) 63, (108) 125
Reasoning about actions and causality (103) 183
Recovery (103) 5
Recursive Deterministic Perceptron (102) 295
Region Connection Calculus (108) 69
Regression (105) 161
Regularization method (107) 347
Reinforcement learning (110) 275
Repeated tasks (101) 267
Representing belief (106) 161
Resource management (101) 135
RoboCup (110) 193
RoboCup soccer (110) 215
Robot programs (101) 201
Robotic agents (103) 133
Robotic soccer (110) 241
Robotics (101) 201

Rough set model (106) 109
Rule-based systems (103) 237

Satisfiability (102) 21
Scalability of behavior-based systems (110) 293
Scheduling (103) 5
Scientific discovery (107) 335
Search (101) 35, (109) 111
Semantic characterizations (107) 303
Semantic networks (103) 237
Semantics of diagnosis (105) 295
Semi-Markov decision processes (105) 209
Sentence–formula proximity (109) 33
Shenoy–Shafer architecture (102) 323
Similarity-based reasoning (102) 249
Simulation league (110) 193
Situation calculus (101) 201
Sketch understanding (104) 211
Social agent (103) 157
Social laws (102) 1
Social structures (103) 157
Software agents (108) 179, (108) 257
Software migration (107) 1
Statistical learning (103) 323
Stratification (110) 103
Substitution (103) 117
Supertagging (103) 117
Supertags (103) 117
Support (104) 71
Symbolic models (103) 133

Task allocation (101) 165, (110) 1
Teamwork (110) 215
Temporal constraint reasoning (102) 143
Temporal reasoning (102) 39, (103) 95, (104) 339, (105) 209, (106) 205, (109) 273
Text generation (105) 263
Theories of actions (101) 201
Theory revision (106) 139, (107) 175
Threshold approach (105) 263
Tractability (101) 251, (106) 205
Tractable subclasses (108) 69
Traffic surveillance (103) 77
Transferable belief model (105) 345
Transformation (107) 1
Transition logic (103) 183
Translingual IR (103) 323
TraumAID project (105) 263
Truth (104) 265
Truth theory (109) 71

Uncertain reasoning (106) 77
Uncertainty (101) 99, (102) 21, (104) 331
Universal and stipulative constraints (103) 117
User-adaptive interface (103) 295
Utility estimation (101) 63
Utility-based search (101) 267

Value minimization (102) 163, (104) 107
Vision-based learning (110) 275

Water quality (101) 135